

# FORGE METAL

POSA A COLLA  
LAYING WITH ADHESIVES

Giardini e abitazioni private  
Private homes & gardens



POSA A COLLA  
LAYING WITH ADHESIVES

Giardini e abitazioni private  
Private homes & gardens

FORGE METAL BRONZO 80x80 31"½x31"½ RETTIFICATO



POSA A COLLA  
LAYING WITH ADHESIVES

Giardini e abitazioni private  
Private homes & gardens

①

⑫



+

**Continuità pavimento in/out.**

Continuity of floor covering indoors and out

Continuité visuelle sol intérieur/extérieur

Einheitlicher Bodenbelag im Innen- und Außenbereich

①

TAVOLO 160x80x75h  
Codice: TAV2CM1

⑫


CUBO INTARSI 40x40x45h  
Codice: CUB2CM15

FORGE METAL ALLUMINIO 80x80 31"½x31"½ RETTIFICATO

# FORCE METAL

80x80 31" / x31" / 2

4 1  
COLORS SIZES  
RECTIFIED



|           | OUT WALK 20 MM       | 10 MM                |                       |                       |                      |                      |  |
|-----------|----------------------|----------------------|-----------------------|-----------------------|----------------------|----------------------|--|
|           | 80x80 31" / x31" / 2 | 80x80 31" / x31" / 2 | 60x120 23" / x47" / 2 | 30x120 11" / x47" / 2 | 60x60 23" / x23" / 2 | 30x60 11" / x23" / 2 |  |
|           | 01 1120              | 02 1085              | 02 1085               | 03 1090               | 03 1065              | 07 1035              |  |
| COLOR     |                      |                      |                       |                       |                      |                      |  |
| Dark      | FRG 97RT             | FRG 98RT             | FRG 92RT              | FRG 93RT              | FRG 90RT             | FRG 96RT             |  |
| Bronzo    | FRG 67RT             | FRG 68RT             | FRG 62RT              | FRG 63RT              | FRG 60RT             | FRG 66RT             |  |
| Alluminio | FRG 17RT             | FRG 18RT             | FRG 12RT              | FRG 13RT              | FRG 10RT             | FRG 16RT             |  |
| Inox      | FRG 87RT             | FRG 88RT             | FRG 82RT              | FRG 83RT              | FRG 80RT             | FRG 86RT             |  |

## PEZZI SPECIALI ON DEMAND\* / SPECIAL COORDINATED PIECES ON DEMAND\* / ZUSAMMENSTELLBARE FORMTEILE AUF ANFRAGE\* / PIÈCES SPÉCIALES COORDONNÉES SUR DEMANDE\*

|           | OUT WALK 20 MM | Toro Gradino 40x80 15" / x31" / 2 | Gradino Elle 33x80x6.5 13" x31" / x27" / 2 | Bordo Antiderap 40x80 15" / x31" / 2 | Bordo Angolo SX 40x80 15" / x31" / 2 | Bordo Angolo DX 40x80 15" / x31" / 2 | Griglia 20x80 7" / x31" / 2 | Griglia Angolo SX 20x80 7" / x31" / 2 | Griglia Angolo DX 20x80 7" / x31" / 2 |
|-----------|----------------|-----------------------------------|--------------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|-----------------------------|---------------------------------------|---------------------------------------|
|           | 02 640         | 02 664                            | 02 645                                     | 02 654                               | 02 654                               | 02 654                               | 02 610                      | 02 625                                | 02 625                                |
| COLOR     |                |                                   |                                            |                                      |                                      |                                      |                             |                                       |                                       |
| Dark      | FRG G93K       | FRG G98K                          | FRG W91K                                   | FRG W92K                             | FRG W94K                             | FRG W95K                             | FRG W96K                    | FRG W97K                              |                                       |
| Bronzo    | FRG G63K       | FRG G68K                          | FRG W61K                                   | FRG W62K                             | FRG W64K                             | FRG W65K                             | FRG W66K                    | FRG W67K                              |                                       |
| Alluminio | FRG G13K       | FRG G18K                          | FRG W11K                                   | FRG W12K                             | FRG W14K                             | FRG W15K                             | FRG W16K                    | FRG W17K                              |                                       |
| Inox      | FRG G83K       | FRG G88K                          | FRG W81K                                   | FRG W82K                             | FRG W84K                             | FRG W85K                             | FRG W86K                    | FRG W87K                              |                                       |

\* I pezzi speciali "on demand" vengono realizzati solo su richiesta con consegna 6 settimane.

Special "on demand" pieces are available only on request and have a 6-week lead-time.

Die Formteile „On Demand“ werden nur auf Anfrage mit einer Lieferfrist von 6 Wochen gefertigt.

Les pièces spéciales On Demand sont réalisées uniquement sur demande. Délai de livraison: 6 semaines.

|                        | OUT WALK 20 MM | Bending Strength EN 13396                                 | Water Absorption | DIN 51130     | DIN 51087                 | BS 7976 Pendulum Tester Average Values | MOHS             | Modulus of Rupture       | Breaking Strength (for square slabs) | Compressive Strength       |
|------------------------|----------------|-----------------------------------------------------------|------------------|---------------|---------------------------|----------------------------------------|------------------|--------------------------|--------------------------------------|----------------------------|
| TECHNICAL DATA         | 20 MM          | ≥ U11 (for square slabs)                                  | ≤ 0,03%          | R11           | A+B+C                     | wet ≥ 50 dry ≥ 55                      | ≥ 8              | ≥ 50 N/mm <sup>2</sup>   | ≥ 12.000 N                           | ≥ 200 N/mm <sup>2</sup>    |
| Resistance to Staining |                | Resistance to household chemicals and swimming pool salts | Frost Resistance | Thermal Shock | Color Resistance UV Light |                                        | Reaction to Fire | ≥ 500 kg/cm <sup>2</sup> | ≥ 1.200 kg                           | ≥ 2.000 kg/cm <sup>2</sup> |
| 5                      | A              |                                                           | Complies         | Resistant     | Resistant                 |                                        | A1FL             | ≥ 7.500 psi              | ≥ 2.700 lbs                          | ≥ 29.000 psi               |



TECHNICAL